

Mulford & Racine Foster - Brazil 1939 - 1st report.

- 38 *Tillandsia geminiflora* Brongniart
- 39       "       *aëris-incola* Mez
- 49 *Guzmania minor* Mez (Nicaragua, Costa Rica, Panama, and  
Pará - over 1000 miles extension of range!).
- 54 *Catopsis sessiliflora* (R. & P. ) Mez
- 72 *Tillandsia bulbosa* Hook. (also in Mexico and the West Indies).
- 92       "       *recurvata* L.
- 93       "       "       (dwarf race?)
- 94       "       "       (large race?)
- 95       "       *loliacea* Mart.
- 96       "       *streptocarpa* Bak.
- 97       "       *polystachya* L.
- 110       "       *usneoides* L.
- 115 *Vriesia itatiaiae* Wawra
- 117       "       *sceptrum* Mez
- 162 *Tillandsia globosa* Wawra
- 204       "       *triticea* Burchell
- 205       "       *pruinosa* Swartz (also in Mexico and the West Indies).
- 273 *Vriesia erythrodactylon* E. Morren
- 274 *Tillandsia aëris-incola* Mez
- 275       "       *triticea* Burchell
- 300 *Vriesia hieroglyphica* (Carr.) E. Morren
- 321       "       *platynema* Gaudichaud
- 363       "       *erythrodactylon* E. Morren
- 364       "       *platynema* Gaudichaud
- 369       "       *Hoehniana* L. B. Smith
- 370 *Tillandsia triticea* Burchell (typical)
- 371       "       "       " (not quite typical)
- 384       "       *linearis* Vell.
- 385       "       *recurvata* L.
- 395 *Vriesia platynema* Gaudichaud
- 407       "       "       "
- 412 *Tillandsia Lorentziana* Grisebach (Argentina, Paraguay,  
and Bolivia - collected from Villa Velha by Dusén).
- 413 *Tillandsia Mallemontii* Glaziou (see Gray Contribution,  
cvi. 162 and 185).
- 414 *Tillandsia crocata* (E. Morr.) Baker
- 415 *Vriesia platynema* Gaudichaud
- 416 *Tillandsia streptocarpa* Baker
- 446 *Catopsis Berteroniana* (Schultes) Mez
- 447       "       *sessiliflora* (Ruiz & Pavon) Mez
- 448 *Tillandsia triticea* Burchell
- 478       "       *crocata* (E. Morren) Baker
- 479       "       *recurvata* L.
- 500       "       *loliacea* Mart.
- 502 *Catopsis Berteroniana* (Schultes) Mez
- 503 *Tillandsia Sprengeliana* Klotzsch (rare! only 2 or 3  
collections known before)

Mulford and Racine Foster - Brazilian Bromeliaceae - List 2.

Oct. 16, 1939.

- 35 Vriesia Philippo-Coburgi Wawra
- 36 " " " "
- 41 Hohenbergia stellata Schultes fil.
- 44 " Sellowiana Mez
- 51 Streptocalyx Curranii L. B. Smith (cf. Gray Contrib.  
xv. 44, t. xi, fig. 7-9)
- 74 Aechmea remotiflora Mez (type collected by Blanchet about  
100 years ago. No locality given but he was in Ilheos.)
- 75 Hohenbergia Blanchetii Mez (type collected by Blanchet  
near Ilheos about 100 years ago and no certain material  
seen since).
- 79 Hohenbergia stellata Schult. fil.
- 80 Bromelia Karatas L.
- 83 Aechmea remotiflora Mez
- 87 Neoglaziovia variegata (Arruda da Camara) Mez
- 98 Cryptanthus Glaziovii Mez
- 99 Bromelia Karatas L.
- 114 Vriesia Philippo-Coburgi Wawra
- 116 Fernseea itatiaiae Wawra
- 120 Quesnelia Augusto-Coburgii Wawra
- 129 Neoregelia sarmentosa (Regel) L. B. Smith  
var. chlorosticta (Bak.) L. B. Smith
- 132 Aechmea VanHoutteana (Van Houtte) Mez
- 150 " ramosa Mart.
- 167 Acanthostachys strobilacea (Schult. fil.) Kl.
- 189 Billbergia amoena (Lodd.) Lindl.
- 200 Streptocalyx floribundus (Mart.) Mez
- 206 Aechmea triticina Mez
- 207 " ramosa Mart. (small plant)
- 218 Neoregelia ampullacea (E. Morren) L. B. Smith
- 223 Streptocalyx floribundus (Mart.) Mez
- 230 Vriesia gigantea Gaud. (V. Mosenii Mez).
- 240 Acanthostachys strobilacea (Schult. fil.) Kl.
- 262 Aechmea Pineliana (Brongn.) Bak.
- 281 Aechmea triticina Mez
- 292 Canistrum roseum E. Morren
- 322 Aechmea aureo-rosea (Ant.) Bak.
- 328 Streptocalyx floribundus (Mart.) Mez
- 337 Canistrum roseum E. Morr.
- 346 Vriesia gigantea Gaud.
- 359 Canistrum minutum (Mez) L. B. Smith
- 360 Aechmea pectinata Bak.
- 375 Vriesia Philippo-Coburgi Wawra
- 377 Nidularium rubens Mez
- 396 Aechmea hystrix E. Morren
- 398 Vriesia Philippo-Coburgi Wawra
- 399 " " " " (stunted)
- 421 Aechmea cylindrata Lindm.
- 433 " pectinata Bak.
- 434 " nudicaulis (L.) Griseb.
- 435 Dyckia encholirioides (Gaud.) Mez
- 437 Aechmea caudata Lindm.
- 441 Hohenbergia augusta (Vell.) Mez
- 443 Vriesia Philippo-Coburgi Wawra
- 450 Aechmea cylindrata Lindm.
- 452 " hystrix
- 457 " organensis Wawra
- 464 " cylindrata Lindm.



Foster - List 2 - continued.

- 476 Aechmea nudicaulis (L.) Griseb.
- 483 Hohenbergia augusta (Vell.) Mez
- 486 Aechmea nudicaulis (L.) Griseb.
- 494 Vriesia procera (Mart.) Wittm. var. gracilis (Gaud.) Mez
- 495 Aechmea nudicaulis (L.) Griseb.
- 496       "               "               "               "
- 499 Acanthostachys strobilacea (Schult. fil.) Kl.
- 504 Dyckia coccinea Mez
- 18A Aechmea aureo-rosea (Ant.) Bak.
- 20A Billbergia pyramidalis (Sims) Lindl.
- 150A Aechmea ramosa Mart.
- 274A Tillandsia aëris-incola Mez